

Safetred Wood

Datasheet

Classification	Norm	Tarkett Value
Product type	EN 13845	Polyvinyl chloride floor coverings with particle based enhanced slip resistance
Commercial classification	ISO 10874	34 Very Heavy
Industrial classification	ISO 10874	43 Heavy
Characteristics	Norm	Tarkett Value
Total thickness	ISO 24346	2 mm
Total weight	ISO 23997	3466 g/m ²
Surface treatment		Safety Clean XP
Binder content	ISO 10582	Type I
Performance for CE Marking	Norm	Tarkett Value
Declaration of Performance		0170-0008-DoP-2020-10
UKCA - DoC certificate		0170-0008-DoC-202205
Reaction to fire	EN 13501-1	Bfl-s1
Electrical Propensity	EN 1815	Antistatic (≤ 2 kV)
Electrical resistance		Static dissipative ($\leq 1 \times 10^9 \Omega$)
Thermal resistance (m ² K/W)	ISO 10456	0,010 m ² •K/W
Slip resistance	EN 13893	Class DS ($\mu \geq 0.30$)
Technical Performance	Norm	Tarkett Value
Residual indentation	EN ISO 24343-1	≤ 0.10 mm
Abrasion particle loss	EN 13845 Annex D	$\leq 10\%$
Dimensional stability	EN ISO 23999	0.4%
Slip resistance	DIN 51130	R10
Slip resistance	BS 7679-2 TRRL Pendulum 4S (wet)	≥ 36
Surface Roughness Rz	BS 7679-2	$\geq 20\mu\text{m}$
Furniture leg effect	ISO 16581	No damage
Castor chair effect	ISO 4918	No damage
Colour fastness to light	ISO 105-B02	≥ 7
Impact sound reduction - ΔLw	EN ISO 717-2	4 dB
Drum sound class	NF S31-074	B
Underfloor heating	BS 8203	Suitable (subfloor temperature maximum 27°C)
Curly resistance to heat	EN ISO 23999	$\leq 2\text{mm}$
Chemical resistance	ISO 26987	Good resistance
Sustainability, Environment & Indoor Air Quality	Norm	Tarkett Value
Recyclability through ReStart®		Recyclable
Total recycled content		40 %
Carbon Footprint (Cradle-to-Gate, EPD Modules A1-A3)		8.80 kg CO ₂ e /m ²
TVOC emissions after 28 days	EN 16516	Platinum ($\leq 10 \mu\text{g}/\text{m}^3$)
Dimensions and designs		
Roll		Roll 2x20m
Number of designs available		8



The above information is subject to modification for the benefit of further improvement (06/09/2023). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com> Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.